
polyout user guide

**Building multiple outputs
using a single L^AT_EX source file**

Nathanaël Cottin



contact@ncottin.net
<http://www.latexworks.org>

version 0.3.2

Copyright 2007 - Nathanaël Cottin

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.2 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts.

Abstract

This document aims at presenting *polyout* L^AT_EX class capabilities. This class is first designed to create a presentation and an article from a single source file.

This class may be used by teachers and researchers who need to make a presentation and provide the audience with a commented version which goes deeper into details.

Keywords: latex, presentation, article, printable, beamer

Contents

1	Introduction	2
1.1	Intended audience	2
1.2	Purpose	2
1.3	Requirements	2
1.3.1	Basic requirements	2
1.3.2	Complementary requirements	3
2	Usage	3
2.1	Class declaration	3
2.2	Class options overview	4
2.3	Modes options	4
2.3.1	presentation	4
2.3.2	printable	5
2.3.3	article	5
2.4	Complementary options	5
2.4.1	french	6
2.4.2	scientific	6
2.4.3	nonavbar	6
2.4.4	sectiontoc	7
2.4.5	pnum	7
2.4.6	compress	7
2.4.7	fullscreen	7
2.4.8	nosecrestart	7
2.4.9	twoside	7
2.4.10	twocolumn	7
2.4.11	tocpageref	8
3	Set up	8
3.1	General information	8
3.1.1	Mandatory information	8
3.1.2	Optional information	8

3.2	New commands	9
3.2.1	Modes specialisers	9
3.2.2	Modes titles specialisers	10
3.2.3	Miscellaneous commands and environments	11
4	Dealing with parts	12
4.1	Referencing parts	12
4.2	Declaring parts	13
4.3	Adding part images	13
4.3.1	Declaring parts images	13
4.3.2	Placing parts images	13
4.3.3	Changing parts images size	14
5	Personalisation	14
5.1	Presentation mode	14
5.2	Printable presentation mode	15
5.3	Article mode	15
5.3.1	Interline	16
5.3.2	Set page footer image	16
5.3.3	Paragraphs spacing and indentation	16
5.3.4	Set your own complete page style	16
5.3.5	Document version	17
5.3.6	Title and page footer images heights	17
5.4	Miscellaneous overwritable commands	17
5.4.1	Parts images heights	17
5.4.2	dateandversion	17
5.4.3	abstractspacer	18
6	Examples	18
6.1	Simple example	18
6.2	Simple example using non-referenced parts	19
6.3	Simple example using referenced parts	21
6.4	Parts images example	23

7	Known limitations	25
7.1	Extra sections	25
7.2	Hyperref	25
7.3	verbatim	26
7.4	Special characters use	26
7.5	Beamer options	26
7.6	Beamer limitations	26

1 Introduction

This documentation refers to *polyout* version 0.12.2 or above.



This document is created with `polyout` using the default article mode style and `polyoutimageboxes` package. The associated presentation relies on *beamer*'s Warsaw theme and my own orangeade color theme.

1.1 Intended audience

Using *polyout* class requires advanced L^AT_EX knowledge.



The lecturer/audience is supposed to be familiar with L^AT_EX and its *beamer* class.

1.2 Purpose

polyout is a L^AT_EX₂e class designed to build multiple output formats based on a single content. Current version supports three output modes, all based on the latest *beamer* and *article* classes:

- Presentation: to be used for an oral presentation (with all available *beamer* themes, `colorthemes`, `transitions`, `animations`, ...)
- Printable: a printable version of the presentation, which corresponds to presentation mode without intermediate frames (thanks to *beamer* again). This printable version should use a black and white color theme, such as `seagull`)
- Article: an article version, which includes all printable presentation frames as well as other complementary information (with parts, sections, subsections, ...). This mode differs from *beamer*'s article output

polyout can be used to create presentations and articles either in english (this document for example) or in french languages. This will be discussed later on.

1.3 Requirements

1.3.1 Basic requirements

polyout requires at least:

- L^AT_EX₂e

- *beamer* version 3.06 or newer version. Older versions have not been tested yet
- *inputenc*
- *ifthen*
- *ifpdf*
- *fancyhdr*
- *hyperref*
- *gnulicenses*

The following packages may also be required:

- *french* when french option selected
- *gnulicenses* to use `\makegnufdl` command

1.3.2 Complementary requirements

Complementary packages may be required to get a similar output (to this document):

- *polyoutboxes*: article mode shows images in place of presentation mode boxes titles. Moreover, this package provides a fix for french boxes labels (which seem not to be modified by babel's french option when declaring `\usepackage[french]{babel}`)
- *colortbl*: to define your own colors (for example, table headers in this document, such as table 1, are backcolored with `\definecolor{vlgray}{rgb}{.9,.9,1}`)
- ...



Please refer to each package documentation for further information.

2 Usage

2.1 Class declaration

polyout class is declared in the source file header as follows:

```
\documentclass[<options>]{polyout}
```

where `<options>` refer to a list of options to be interpreted by *polyout*.



Please refer to L^AT_EX user guide for more information on classes usage.

2.2 Class options overview

All options interpreted by *polyout* are summarized by table 1.

Context	Value	Description
mode	<code>presentation</code>	<i>Beamer</i> (colored) presentation
	<code>printable</code>	<i>Beamer</i> black&white version of the presentation
	<code>article</code>	Corresponding article (includes presentation frames)
all	<code>french</code>	Indicates the source file is written in french
	<code>scientific</code>	Changes fonts for sans-serif
all but article	<code>nonavbar</code>	Removes the navigation bar
	<code>sectiontoc</code>	Adds a table of contents for each section
	<code>pnum</code>	Adds page numbering as a centered footline box
	<code>compress</code>	Identical to <i>beamer</i> <code>compress</code> option
	<code>nosecrestart</code>	Sets sections numbering without taking parts into account
article	<code>twoside</code>	Differentiates odd and even pages layout
	<code>twocolumn</code>	Separates each page in two columns
	<code>tocpageref</code>	Sets table of contents hyperlinks to pages numbers

Table 1: Class options

2.3 Modes options

polyout distinguishes three output modes:

- `presentation`
- `printable`
- `article`

2.3.1 presentation

Indicates that a *beamer* presentation will be produced. This presentation may make use of *beamer* interactivity. No default *beamer* theme and color theme are

set.

2.3.2 printable

Used in conjunction with a grayscaled color theme (such as *beamer seagull*), this mode suits for printing the presentation. Contrary to presentation mode which may use intermediate frames (extra pages in the produced file), this mode integrates the minimum number of frames, skipping intermediate ones.

Printable mode may also be used to print colored transparents when specifying a colored color theme.

2.3.3 article

This mode combines the `article` class capabilities along with *beamer* presentation frames. Basically, the source file contains both *beamer* frames and article information. All frame information is mixed with its surrounding data.

In this case, *polyout* acts as an integrator between these completely different output formats. For example, it allows to show or hide information depending on the current output format. This mostly makes it possible to add information in `article` mode.



Contrary to *beamer*'s `article` mode, this output mode does not include full frames copies (along with header and footer) but only their content information.

2.4 Complementary options

Contrary to *polyout* modes, these options do not completely change the appearance of the output but rather provide enhancements in the appropriate mode. Current version supports the following complementary options:

- `french`
- `scientific`
- `nonavbar`
- `sectiontoc`
- `pnum`
- `compress`
- `fullscreen`
- `nosecrestart`

- `twocolumn`

The `french` option automatically includes *babel* and connected packages so that no general initialisation for french language should be necessary. It may be profitable to add `imageboxes` package for the following reasons:

- It complements *babel*'s french extension as it seems that the latter does not replace *example*, *theorem*, *definition* and other boxes common titles with their french equivalent
- This class is specifically designed for *polyout* as it automatically displays boxes in presentation mode and shows an image followed by the box content in article mode



This document uses `oneside`, `tocpageref` and `scientific` options.

2.4.1 french

polyout supports french. This option allows to type french documents. It automatically includes *babel* french translations and may be combined with `imageboxes` package to complement *babel* (as shown by the alert box below).



The document title and author values must be written *the old way* (i.e. as is french was not activated : `\'e` instead of `é` for example) as current *polyout* version required initializing these fields before `\documentclass`.

2.4.2 scientific

This option slightly changes the output appearance as it includes `helvet` and `courier` packages.

2.4.3 nonavbar

Beamer presentations show a semi-transparent navigation bar on the bottom-right hand corner. This option removes this bar on every slide of the presentation.

This option has no effect in article and printable modes.

2.4.4 sectiontoc

Adds a frame containing the next section table of contents before the section begins.

Adding parts table of contents at the beginning of the presentation must be performed manually¹. Please refer to section 4 to make use of parts within *polyout* documents.

2.4.5 pnum

Adds page numbering as a new centered footline box.

2.4.6 compress

Refers to *beamer's compress* option.

2.4.7 fullscreen

Allows to ask for displaying the presentation in fullscreen mode.



This option is only available in presentation mode.

2.4.8 nosecrestart

Indicates to go on numbering sections without restarting at 1 each time a part begins.

2.4.9 twoside

Differentiates even and odd pages layout, including headers and footers. Default article mode does not make any difference (in terms of page margins, header and footer) between even and odd pages.

2.4.10 twocolumn

Similar to `article` class `twocolumn` option, except that this mode starts when requesting the table of contents creation.

¹It seems that frames are not displayed when created within commands...

In case the document does not contain any table of contents (which means that the `\maketableofcontents` command is not executed), the `\twocolumn` command from the `article` class can be used.

2.4.11 `tocpageref`

Sets table of contents hyperlinks on page numbers rather than titles.

3 Set up

polyout defines new commands to help dealing with multiple outputs and redefines existing ones.

3.1 General information

First of all, common information (i.e. shared between available modes) should be initialized.

3.1.1 Mandatory information

- `\title`
- `\author`

These commands respectively correspond to the document title and author (to appear in the title page).

3.1.2 Optional information

- `\stitle`
- `\keywords`
- `\contact`
- `\website`
- `\version`
- `\nodate`
- `\titlelogo`

`\stitle` refers to the subtitle. It may be left empty.



In order to force a subtitle on two or more lines, please use `\subtitlenewline` (or alternatively `\vskip1pt`) instead of `\newline` as the latter would not be interpreted in the default title page layout. Be careful not to use brackets (i.e. `\vskip{1pt}`).

`\keywords` references a list of keywords which describe the area, scope and interest of the article. These keywords only appear in article mode.

`\contact` indicates the author contact information (an email address is suitable here).

The author, university or company website, including `http://`, can be set using `\website`.

`polyout` tries to display document version if initialized. If not, either the specified date value or current date (if not set) is used.

`\version` indicates the document current version number. `polyout` default behaviour states version number if not empty and indicate the `\date` value when version is left empty. Thus `\version` and `\date` are mutually exclusive (this is not an error but a specification requirement). This limitation can be overcome using the date field value when both date and version information must be mentioned (`\date{\today - v1.0}` for example).

`\nodate` must be used in the particular case when neither version nor date values must be displayed.



The date value is removed from the presentation title page with `\nodate` command instead of `\date{}` (which refers to the current date in presentation and printable modes)...

The image which appears in the title page corresponds to `\titlelogo`. By default, no image is selected. Although this title image is shared between output modes its height can be modified depending on the requested output.

3.2 New commands

3.2.1 Modes specialisers

These commands are provided either as environments integration workarounds

- `\articleonly`
- `\presonly`
- `\printonly`
- `\presprintonly`

- `\printarticleonly`
- `\presarticleonly`

First three environments allow to define portions of text (or images or even frames) which appear only if article, presentation or printable mode is selected.

Last three environments integrate content when two of the three available output modes are selected:

- `\presprintonly` is equivalent to `\presonly` or `vbtm\printonly` commands
- `\printarticleonly` is equivalent to `\printonly` or `vbtm\articleonly` commands
- `\presarticleonly` is equivalent to `\presonly` or `vbtm\articleonly` commands



Contrary to *beamer* `\mode<presentation>` command, this `\presonly` environment does not include the print version of the document. The equivalent is given by the `\presprintonly` environment.

3.2.2 Modes titles specialisers

`polyout` also defines modes selectors used to include titles depending on the output mode:

- `\article< * >`
- `\pres< * >`
- `\print< * >`
- `\presprint< * >`
- `\presarticle< * >`
- `\printarticle< * >`



`< * >` (wildcard) may be replaced with `part`, `section`, `subsection` or `subsubsection`.

Aliases are also available:

- `\printpresonly`

- `\articlepresonly`
- `\articleprintonly`
- `\printpres< * >`
- `\articlepres< * >`
- `\articleprint< * >`

These commands are identical to (respectively):

- `\presprintonly`
- `\printarticleonly`
- `\presarticleonly`
- `\presprint< * >`
- `\presarticle< * >`
- `\printarticle< * >`

3.2.3 Miscellaneous commands and environments

polyout provides complementary commands and environments, such as:

- `\vbtm`
- `\makegnufdl`
- `extrasection`
- `\extrasubsection`

`\vbtm` command is currently an alias of the well-known `\texttt` command. It may be used in place of verbatim environments (not supported within frames unless declared using `fragile` or `containsverbatim` options).

`\makegnufdl` is a non-argument command which prints a GNU FDL usage in article mode (see second page of this document). The language is automatically selected between french and english. Using this command requires to add the `gnulicenses` package.

`extrasection` is an environment designed to be used before the main table of content. It may be used in large documents (books for example) to mention acknowledgements and insert a preamble. This environment takes an optional single argument which corresponds to the title of the section. A non-numbered

section is internally created when this argument is given. An extra section does not have any header or footer information.

`\extrasection` is a workaround for *beamer* taking `\subsection*` into account in its table of contents. It is primarily designed to be called within the `extrasection` environment.

Many other *beamer* commands have also been redefined (`\frametitle` for example) to seamlessly integrate article and *beamer* presentation environments together.

To facilitate output modes integration, *polyout* also allows to add a dot (.) to a sentence. Printing of this character depends on the output mode:

- `\articledot`
- `\presentationdot`
- `\printdot`

4 Dealing with parts

Large articles and presentations may be structured using parts. In this case, the presentation may indicate parts content at the beginning (with an optional table of contents for each part).

4.1 Referencing parts

Parts can be referenced at the beginning of the document. The following portion of source code should be written in such case (example of two parts):

```
\partsoverview{
  \frame[label=partoutline1]{
    \parttitle[partref1]{First part}
  }

  \frame[label=partoutline2]{
    \parttitle[partref2]{Second part}
  }
}
```

This *polyout* part-specific command must be used:

`\parttitle`: references the title of the part given in argument. An optional argument sets the part reference.



This command must be used within a `\frame` command.

4.2 Declaring parts

Then, each part uses the redefined `\part` command as follows:

```
\part[<partshorttitle >]
      {<parttitle >}{<partsummary >}
      {<partreference >}{<outlinereference >}
```

where:

- `<partshorttitle >` is the part short title
- `<parttitle >` is the name of the part (same as corresponding `\parttitle` value)
- `<partsummary >` is the part description (may be empty)
- `<partreference >` references the part (ex: `partref1`)
- `<outlinereference >` references the part outline (ex: `partoutline1`)

Parts references may be left empty (in this case no reference is used). If initialized, navigation buttons are automatically created to link to each part in presentation mode.



`\part` command must be used within a frame.

4.3 Adding part images

An image can be displayed on the bottom-hand of all part pages or a specific part page.

4.3.1 Declaring parts images

`polyout` defines the `\partimage` command to associate a part image source file to a part. This command takes an image source file in argument.

This image is used on each part page until `\partimage` is called again.

4.3.2 Placing parts images

The part image is displayed by default at the bottom-center of the page. An optional argument given to `\partimage` can locally modify this alignment (it applies only on the current part page).

The complementary `\partimageposition` command globally specifies parts images alignment.


`\partimageposition` and `\partimage` optional argument can take one of the following values:

- `l`: the part image is displayed on the bottom-left hand corner of the part page
- `c` or empty: the part image is centered on the bottom of the part page (default value). The empty value has a slightly different behaviour on `\partimageposition` or `\partimage`: it forces placement back to center using `\partimageposition` whereas `\partimage` indicates to use latest placement option
- `r`: the part image is shown on the bottom-right corner of the part page

This placement remains used on each part until overwritten.


4.3.3 Changing parts images size

Default part image width is set to `.33\textwidth`, which makes it one third of the text width. This size can be modified using `\partimagewidth`, providing the new width in argument.

 Contrary to presentation and article logo size, part images are modified by means of their width (rather than their height).

5 Personalisation

polyout allows to modify default behaviour and layout.

 It is recommended to select a single *beamer* theme to remain homogeneous between presentation and printable presentation modes, whereas many color themes may be specified.

5.1 Presentation mode

This mode is customizable in the sense that *polyout* does not define any *beamer* theme. Please refer to the *beamer* documentation for complementary information on selecting themes and color themes.

```
\usetheme (<beamertheme>)
\usecolorthemes {<presentationcolortheme>}
                {<printablecolortheme>}
```

`\usecolorthemes` can be called many times to mix themes as one would do with *beamer's* own `\usecolortheme` command.



As empty color themes are discarded (which means that *polyout* does not take them into account), `\usecolorthemes{}` has no effect and `\usecolorthemes{ct}` adds color theme called `ct` to the current list of presentation mode color themes.



This example defines two color themes (`colortheme1` and `colortheme3`) for presentation mode whereas a single color theme (`colortheme2`) applies to printable presentation mode:

```
\usecolorthemes{colortheme1}{colortheme2}
\usecolorthemes{colortheme3}{}
```

The default title image height is set to 0.8cm. This height can be changed (to fit to your specific needs) using `\presentationlogoheight`. This command takes the new height in argument.

Parts and sections table of contents depths can be changed using `\parttocdepth` and `\sectiontocdepth`, given the new table of contents depth in argument. Default depths values are respectively 1 and 2.

5.2 Printable presentation mode

All presentation personalisations do apply to this mode. The color theme used should refer to a grayscale theme (such as `seagull`).



Presentation mode's title image height also applies to this mode.

5.3 Article mode

This mode allows to define your own values for:

- Space between lines
- Paragraph skipping and indentation
- Page footer image
- Complete page style
- Document version
- Title and footer images heights

5.3.1 Interline

Space between lines is set by means of `\interline`, given a multiplicative factor value. For example, `\interline{2}` doubles the current space between lines. Default interline value is left unchanged until this command is used.

 This article uses `\interline{1.2}`.

5.3.2 Set page footer image

No footer image is defined by default. `\pagelogo` allows to select an image to appear on each article page (but title page) when default fancy style is used. The image size can be modified using `\pagelogoheight` (see [.](#)

5.3.3 Paragraphs spacing and indentation

`\formatpar` initializes paragraphs spacing and indentation values. This command takes two arguments. First argument corresponds to paragraph skip value and second argument determines each paragraph's first line right offset. Default values are set to 5pt and 0pt.

5.3.4 Set your own complete page style

The following command can be renewed in order to redefine your own page style:

- `\articlepagestyle`: article page style (fancy by default)
- `\makeonesideheader`: default header for onesided articles
- `\makeonesidefooter`: default footer for onesided articles
- `\maketwosideheader`: default header for twosided articles
- `\maketwosidefooter`: default footer for twosided articles
- `\makepagestyle`: calls appropriate header and footer layouts makers

`\articlepagestyle` is used to select a complete fancy style as its single argument. Default is `fancy`. Redefining this command is not recommended as its default behaviour provides different header and footer elements depending on the selected side option (`oneside` or `twoside`).

It is thus preferable to redefine commands specific to onesided articles (namely `\makeonesideheader` and `\makeonesidefooter`) and twosided articles

(`\maketwosideheader` and `\maketwosidefooter`) commands instead of directly overwriting `\articlepagestyle`. This allows to keep the current side check and set headers and footers adapted to the selected side option.

Finally, last command may be renewed to redefine the default fancy style. Setting an empty body leads to reinitialize to `article` class default fancy page style. Its current behaviour is to call one side or two sides header and footer depending on the requested layout (please refer to `twoside` class option). It is not recommended to redefine this command, although possible.

5.3.5 Document version

Document versioning is handled by `\version` command. Its single argument refers to the version number (`1.0.0 rc1` for example).

5.3.6 Title and page footer images heights

Article title and page footer images heights can be changed independently, respectively with help of `\articlelogoheight` and `\pagelogoheight`. These two commands take the new height as a single argument. Default images heights values are respectively set to 4cm and 0.3cm.

5.4 Miscellaneous overwritable commands

Other commands can be redefined to personalise the generated document in article mode:

- `\dateandversion`: selects either the current version or the specified date
- `\abstractspacer`: changes the current vertical space before the abstract content

5.4.1 Parts images heights

Please refer to section 4 for more information.

5.4.2 dateandversion

This command modifies the internal `\@dateversion` variable. Its default behaviour selects either date or version information. Version is firstly selected (and date is therefore left aside) if not empty.


In *article* mode, the `\@dateversion` variable is called by `\maketwosidefooter` command and has no effect in onesided article mode.


This variable is also called in *presentation* and *printable* modes and appears in the first frame.

5.4.3 abstractspacer

This command allows to change the current vertical space between the article abstract (*abstract*) and the first line of its content. Default value is set to 1pt.

6 Examples

 Try modifying document class options (`presentation`, `printable`, `article`) to change the output format.

 Check for other examples on the web at <http://www.latexworks.org>

6.1 Simple example

This basic example allows to create a simple *polyout* document without title nor footer images. Commented blocks show how to add such images.

```
\documentclass
[presentation]
%[printable]
%[article]
{polyout}

\usetheme{Warsaw}
\usecolorthemes{}{seagull}

\title{Simple example}
\stitle{Shows an overview of \emph{polyout} possibilities}
\author{Nathanaël Cottin}
\keywords{latex , polyout} % Only appear in article mode
\contact{contact@ncottin.net}
\website{http://www.ncottin.net}

\version{0.0.1}
\date{\today} % Displays version number

\begin{document}
```

```

\frame{
  \maketitle
}

\begin{abstract}
\emph{polyout} is a powerful \LaTeX\ class designed to
help reseachers and teachers make presentations and
corresponding explanations using a single source file.
\end{abstract}

\tableofcontents

\section{Introduction}
\par Introduction goes here

\frame{
  \frametitle{Simple example introduction}

  Notice that frame title and section title are
  different
}

\section{Missing options}
\par Other options may be added to change the output
appearance:

\frame{
  \frametitle{Options to set}

  \begin{itemize}
    \item nonavbar
    \item pnum
    \item scientific
    \item compress
    \item twoside
    \item \dots
  \end{itemize}
}

\end{document}

```

6.2 Simple example using non-referenced parts

This example shows how to integrate parts to create big documents.

```

\documentclass
[presentation, pnum, nonavbar, scientific]
%[printable, pnum, scientific]{polyout}
%[article, tocpageref, twoside, scientific]
{polyout}

\title{Polyout simple parts example}
\stitle{How to deal with parts}
\author{Nathanaël Cottin}
\keywords{polyout, parts}
\contact{contact@ncottin.net}
\website{http://www.ncottin.net}
\version{0.0.4}

\begin{document}

\frame{
  \maketitle
}

\begin{abstract}
\par This document shows a basic example with parts.
Parts are not referenced in this example.
\end{abstract}

\tableofcontents

%-----
% Parts overview
%-----
\partsoverview{
  \frame{
    \parttitle{Part 1}
  }

  \frame{
    \parttitle{Part 2}
  }
}

%-----
% Part 1 content
%-----
\part{Part 1}{Description of first part}{}{}

\frame{

```

```

\frametitle{Part 1 frame}

\par This is a non-referenced part.
You can place your text here
}

%-----
% Part 2 content
%-----
\part{Part 2}{Description of second part}{}}

\frame{
  \frametitle{Part 2 frame}

  \par This is another non-referenced part.
  You can place your text here again
}

\end{document}

```

6.3 Simple example using referenced parts

This example is very similar to the previous one except that parts are referenced.

```

\documentclass
[presentation, pnum, nonavbar, scientific]
%[printable, pnum, scientific]{polyout}
%[article, tocpageref, twoside, scientific]
{polyout}

\title{Polyout simple referenced parts example}
\stitle{How to deal with parts}
\author{Nathana\”el Cottin}
\keywords{polyout, parts}
\contact{contact@ncottin.net}
\website{http://www.ncottin.net}
\version{0.0.1}

\begin{document}

\frame{
  \maketitle
}

\begin{abstract}

```

```

\par This document shows a basic example with parts.
Parts are referenced in this example.
\end{abstract}

\tableofcontents

%-----
% Parts overview
%-----
\partsoverview{
  \frame[label=outline1]{
    \parttitle[part1]{Part 1}
  }

  \frame[label=outline2]{
    \parttitle[part2]{Part 2}
  }
}

%-----
% Part 1 content
%-----
\part{Part 1}{Description of first part}
  {part1}{outline1}

\frame{
  \frametitle{Part 1 frame}

  \par This is a referenced part.
  You can place your text here
}

%-----
% Part 2 content
%-----
\part{Part 2}{Description of second part}
  {part2}{outline2}

\frame{
  \frametitle{Part 2 frame}

  \par This is another referenced part.
  You can place your text here again
}

\end{document}

```

6.4 Parts images example



This example requires `image1` and `image2` images to compile.

```

\documentclass
[presentation, pnum, nonavbar, scientific]
%[printable, pnum, scientific]{polyout}
%[article, tocpageref, twoside, scientific]
{polyout}

% Declare path to 'image1' and 'image2'
\usepackage{graphicx}
\graphicspath{{images/}}

\title{Polyout personalised parts example}
\stitle{How to deal with parts}
\author{Nathana\”el Cottin}
\keywords{polyout, parts}
\contact{contact@ncottin.net}
\website{http://www.ncottin.net}
\version{0.0.4}

% Set parts images default size
\partimagewidth{.20\textwidth}

% Set part images default placement
\partimageposition{r}

\begin{document}

\frame{
  \maketitle
}

\begin{abstract}
\par This document shows an example of
non-referenced parts including images.
\end{abstract}

\tableofcontents

%-----
% Parts overview
%-----

```

```

\partsoverview{
  \frame{
    \parttitle{Part 1}
  }

  \frame{
    \parttitle{Part 2}
  }

  \frame{
    \parttitle{Part 3}
  }
}

%-----
% Part 1 content
%-----
\partimage[1]{image1}
\part{Part 1}{Description of first part}

\frame{
  \frametitle{Part 1 frame}

  \par This part includes an image displayed
  on the bottom-left hand corner. This new
  placement also applies to next parts
}

%-----
% Part 2 content
%-----
\partimage{image2}
\part{Part 2}{Description of second part}

\frame{
  \frametitle{Part 2 frame}

  \par This part image (image2) is positioned
  at the bottom-left hand corner of the part
  title page
}

%-----
% Part 3 content
%-----
\part{Part 3}{Description of last part}

```

```

\frame{
  \frametitle{Part 3 frame}

  \par Part 2 image also applies to this part.
  This image is placed at the bottom-left hand
  corner of the part title page
}

\end{document}

```

7 Known limitations

Current version suffers of the following limitations (which cannot be considered as *bugs*...):

- Extra sections restrictions
- Hyperref `mailto` not supported
- Verbatim not supported within `< * >`only environments, where `< * >` stands for `pres`, `print`, `presprint` or `article`.
- Special characters use
- Table of contents references cannot be set on both titles and page numbers
- Some *beamer* options not available
- *Beamer* limitations

7.1 Extra sections

Extra sections cannot enclose subsections, even using their wildcard version (such as `\subsection*` or `\subsubsection*`). Please use `\extrasection` command instead.

7.2 Hyperref

Hyperref `\hrefmailto:` raises an error. Only website link is supported. No workaround is currently planned.

7.3 verbatim

Verbatim is not tolerated within `< * >only` bodies. This means that

```
\<*>only{\verb?sth?}
```

must be replaced with:

```
\<*>only{\vbtm{sth}}
```

7.4 Special characters use

Use of `\string` to protect special characters leads to compilation errors.

7.5 Beamer options

Non-handled *beamer*-specific options will be integrated in next releases.

7.6 Beamer limitations

`polyout` relies on *beamer* packages. Thus, `polyout` capabilities directly derive from *beamer*'s. For example, using `\input` to include tex source files has no effect in presentation and printable modes (though they are taken into account in article mode).

When used in conjunction with french environment (`babel, ...`), parts titles do not appear correctly.